DYON-VIPER

HD DVB-S/S2 Twin Receiver CI+

- DVB-S2 Twin Receiver for High Definition Digital Satellite TV
- Fully Comply with DVB-S/S2 MPEG-2/4 H.264 Standard
- 2 LNB Inputs for Watching and Recording 2 Different TV Programms
- CI+ / CI Compatible Slot Accepting a Wide Range of CAM's Including CI+ Modules
- HD+ and Sky supported through CI+
- 7 Segment 4 Digits LED Display
- PVR Ready on USB2.0 Memory Sticks
- Time Shift
- Supports Multifeed Channels
- 2x USB2.0 Input for Playback of HD Multimedia Files
- Electronical Program Guide (EPG) & Teletext
- Supports Single Cable Distribution
- 2x LNB Input and 2x Loop Through
- HDMI, CVBS, Audio L/R & TV Scart Output
- Digital Audio Out (S/PDIF Coaxial)

AXDIA International GmbH
Formerweg 9
47877 Willich | Deutschland

Tel: +49 (0) 2154 - 88 26 0
Fax: +49 (0) 2154 - 88 26 100
Email: info@axdia.de

www.dyon.eu

DYON-VIPER

HD DVB-S/S2 Twin Receiver CI+

Technische Daten / Technical Datas	
DVB-S Standard	MPEG-2 / MPEG-4 H.264
TV Funktionen / **TV Functions**	- PVR Ready auf externe USB 2.0-Speichersticks - Twin Tuner: Anschauen eines TV-Programms und Aufnahme eins anderen - Bis zu 5.000 Senderspeicherplätze - EPG (Elektronischer Programmführer) - Videotext - Untertitel - Favoriten - Unterstützt bis zu DiSEqC1.2 und USALS - Automatische und manuelle Sendersuche - Sendersortierung - Kindersicherung - Formate: 16:9 (Full), 4:3 (Full), Auto - Loop-Through Funktion - PVR Ready on external USB 2.0 Memory Devices - Twin Tuner: Watch a TV-Program and Record Another One - Up to 5.000 Channel Storage - EPG (Electronic Program Guide) - Teletext - Subtitles - Favorite Groups - Support up to DiSEqC1.2 and USALS - Auto and Manual Channel Search - Channel Sorting - Parent Control - Formats: 16:9 (Full), 4:3 (Full), Auto - Loop-Through Function
Schnittstelle / **Interface**	CI+ (Common Interface)
Demodulation	QPSK / 8 PSK
Eingangsfrequenz / **Input Frequency**	950 – 2150MHz
Eingangsimpedanz / **Input Impedance**	75 Ohm
Signalstärke / **Signal Level**	-75 ~ -25 dBM
Videoauflösung / **Video Resolution**	1080p, 720P, 576P
Externer Speicher / **External Memory**	USB 2.0 Speichersticks USB2.0 Memory Sticks
Mediafunktionen / **Media Functions**	USB-Anschluss zum Abspielen von HD Videos, MP3 und JPEG USB connection for playback of HD Videos, MP3 and JPEG

AXDIA International GmbH
Formerweg 9
47877 Willich | Deutschland

Tel: +49 (0) 2154 - 88 26 0
Fax: +49 (0) 2154 - 88 26 100
Email: info@axdia.de

www.dyon.eu

DYON-VIPER

HD DVB-S/S2 Twin Receiver CI+

Stromverbrauch / Power Consumption	Max. ≤30W (Normalbetrieb); Stand-By: ＜2W Max. ≤30W (normal operation); Stand-By: ＜2W
Anschlüsse / Connections	CI+ Slot, HDMI 1.3 Ausgang, 2x LNB Eingang & Loop Through, 2x USB-2.0 Anschlüsse, TV Scart, CVBS und Audio L/R Ausgang, Digitaler Audioausgang (Koaxial) CI+ Slot, HDMI 1.3 Output, 2x LNB Input & Loop Through, 2x USB2.0 Jack, TV Scart, CVBS and Audio L/R Output, Digital Audio Output (Coaxial)
Abmessungen / Dimension	280 x 232 x 55 [mm]
Gewicht / Weight	~ 1285 g
Lieferumfang / Package Content	Viper, Fernbedienung, Bedienungsanleitung Viper, Remote Control, Users Manual

AXDIA International GmbH
Formerweg 9
47877 Willich I Deutschland

Tel: +49 (0) 2154 - 88 26 0
Fax: +49 (0) 2154 - 88 26 100
Email: info@axdia.de

www.dyon.eu